

# MA140-Engineering Calculus

## Lecture 2

September 7, 2017

A polynomial is a function of the form:

$$y = a_n x^n + a_{n-1} x^{n-1} + \cdots + a_1 x + a_0$$


where  $a_n, a_{n-1}, \cdots, a_0$  are constants.

These constants are called the *coefficients* of the polynomial.

The number  $n$  is the degree of the polynomial.


### Example 1.1

$y = x$ , is a *linear* polynomial




## Example 1.2

$y = x^2 - 4x + 3$  is a *quadratic* polynomial.



### Example 1.3

$y = x^3 - 4x^2 + x + 6$  is a *cubic* polynomial.




## General facts on polynomial sketching:

A polynomial of degree  $n$  has up to  $n - 1$  bends.

### Example 1.4


a typical fourth degree polynomial has 3 bends. for example

$$y = x^4 - 2x^2 + x$$



### Example 1.5

the fourth degree polynomial  $y = x^4 - 2x$  has only one bend.



### Find the intercepts:

The  $y$ -intercept can be found by letting  $x = 0$ .

The  $x$ -intercepts are the roots (or zeros).

**Note:** you do not have to use the same scale on the  $x$  and  $y$  axis.


#### Example 1.6

$$y = x^3 - 4x^2 + x + 6$$

$$x = 0 \Rightarrow y = 6 \text{ (} y\text{-intercept)}$$

(The constant coefficient =  $-$  product of the roots if the coefficient of the highest power = 1)

By trial roots are  $x = -1, 2, 3$



## Definition 1.7

Rational functions have the general form

$$f(x) = \frac{p(x)}{q(x)}$$

where  $p(x)$  and  $q(x)$  are polynomials.

- **IF** degree of  $p(x) <$  degree of  $q(x)$ , then  $f(x)$  is a strictly proper rational function.
- **IF** degree of  $p(x) =$  degree of  $q(x)$ , then  $f(x)$  is a proper rational function.
- **IF** degree of  $p(x) >$  degree of  $q(x)$ , then  $f(x)$  is an improper rational function.

An improper or proper rational function can be expressed in terms of a strictly proper rational function

### Example 1.8

Express  $f(x) = \frac{3x^4 + 2x^3 - 5x^2 + 6x - 7}{x^2 - 2x + 3}$  in terms of a strictly proper rational function

$$f(x) = 3x^2 + 8x + 2 - \frac{14x + 13}{x^2 - 2x + 3}$$