

OLLSCOIL NA hÉIREANN GAILLIMH
NATIONAL UNIVERSITY OF IRELAND GALWAY

SUMMER EXAMINATIONS 2002

M.Sc. in Software Design and Development

ALGORITHMS AND LOGICAL METHODS (CT518)

Professor D. Bell
Professor G. Lyons
Dr. M. Mc Gettrick

Time allowed: *two* hours.
Attempt *four* questions.

1. (a) Using each of the following methods, write down (step by step) the position of each letter in the word “gdansk” when sorted alphabetically using
 - (i) insertion sort
 - (ii) quicksort
 - (b) State the worst case and best case complexities of the algorithms in part (a). Under best case, how many comparisons does each make to sort 64 items?
-
2. Consider the following two algorithms:

(I)
BEGIN {algorithm to calculate x^n }
IN(x,n)
y \leftarrow 1
WHILE (n>0) DO
 IF (n mod 2 = 0) THEN
 BEGIN x \leftarrow x*x; n \leftarrow n/2; END
 ELSE
 BEGIN y \leftarrow y*x; n \leftarrow n-1; END
OUT(y)
END

(II)
BEGIN {algorithm to calculate x^n }
IN(x,n)
y \leftarrow 1
WHILE (n>0) DO
 BEGIN y \leftarrow x*y; n \leftarrow n-1; END
OUT(y)
END

(note that $p \bmod q$ returns the remainder after dividing p by q , e.g. $7 \bmod 2$ is 1)

- (a) For large n , which algorithm should be faster?
- (b) For algorithm (I), determine the number of times the while loop is executed for the two inputs $n = 64$ and $n = 63$. Hence calculate the worst case and best case complexity of algorithm (I).
- (c) Say that for certain fixed values of x and n both algorithms run in equal time t_1 seconds. Estimate (in terms of t_1) the time for each algorithm if we keep x constant but double n .

3. (a) Suppose we define $s_0 = 0, s_1 = 1, s_2 = 2$ and $s_n = s_{n-1} + s_{n-2} + s_{n-3}$ for $n > 2$, so that we have the sequence $0, 1, 2, 3, 6, 11, 20, 37, \dots$. Write an algorithm to calculate s_n using

- (i) Iteration
- (ii) Recursion

Which of these algorithms is more efficient?

- (b) Explain the Divide and Conquer strategy, and give an example of an algorithm using this strategy.

4. (a) Draw an example of a

- (i) Cyclic Disconnected Graph.
- (ii) Ternary Tree.

- (b) Determine the maximum number of nodes one may have in an n -ary tree of depth m . Illustrate your answer for a ternary tree of depth 4.

- (c) If a binary tree of depth 3 has 15 nodes, determine the maximum distance between any two nodes of the tree.

5. (a) Use truth tables to determine whether each of the following well formed formulae (wff) are tautologies, contradictions, or neither.

- (i) $\neg(A \wedge B) \leftrightarrow \neg A \vee \neg B$
- (ii) $A \wedge (B \vee C) \leftrightarrow (A \wedge B) \vee (A \wedge C)$
- (iii) $\neg(A \rightarrow B) \rightarrow (\neg A \vee B)$

- (b) Given the predicates

$H(x)$: "x is an Hawk"

$F(x)$: "x is a Fish"

$E(p,q)$: "p Eats q"

write statements in First Order Predicate Calculus to express each of the following.

- (i) All Fish do not Eat Hawks
- (ii) Some Hawks Eat some Fish.
- (iii) Some Hawks Eat no Fish.